

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	31	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls. or "705"/\$.ccls. or "709"/\$.ccls.) and java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 13:00
L2	64	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 13:37
L3	60	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$ and security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 13:38
L4	23	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$ and (security or secure) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:09
L5	23	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and (security or secure) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:14
L6	0	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and ((security or secure) adj2 tier?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:15

## EAST Search History

L7	0	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and ((security or secure) with \$tier?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:16
L8	0	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and (security or secure) with \$tier? and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:17
L9	1	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and (security or secure) and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 14:43
L10	1	java and (database? same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (security or protection or intrusion) and application\$ and (security or secure or gateway? or firewall?) and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:06
L11	10	java and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxies) adj2 object\$) and (client\$ or host or applet?) and (server or servlet?) and (secure or gateway? or firewall? or security or protection or intrusion or ipsec or ssl) and application\$ and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:17
L12	47	(j2ee or java) and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and (server or servlet?) and (secure or gateway? or firewall? or security or protection or intrusion or ipsec or ssl) and application\$ and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:26

## EAST Search History

L13	0	(j2ee or java) and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and server and servlet? and (secure or gateway? or firewall? or security or protection or intrusion or ipsec or ssl) and application\$ and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:28
L14	6	(j2ee or java) and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and server and servlet and (secure or gateway? or firewall? or security or protection or intrusion or ipsec or ssl) and application\$ and (\$tier? or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:34
L15	8	(j2ee or java) and ((database? or dbms or sql) same (query or queries)) and ((proxy or proxi\$) adj3 object\$) and (client\$ or host or applet?) and server and (servlet or servlets) and (secure or gateway? or firewall? or security or protection or protect or intrusion or ipsec or ssl) and application\$ and (\$tier or middle?) and @ad<"20010731"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 15:36
S1	424	713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:12
S2	1	713/153.ccls. and java and (database with query) and (proxy adj2 object\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:14
S3	103	java and (database with query) and (proxy adj2 object\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:07
S4	33	java and (database with query) and (proxy adj2 object\$) and driver\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:18

## EAST Search History

S5	24	java and (database with query) and (proxy adj2 object\$) and driver\$ and ((secur\$ or http or web) with result\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:26
S6	1	java and (database with (proxy adj2 object\$)) and driver\$ and ((secur\$ or http or web) with return\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:11
S7	2	java and (database with (proxy with (object\$ or stub\$))) and driver\$ and ((secur\$ or http or web) with return\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:47
S8	0	java and (database and (proxy with (object\$ or stub\$))) and "6721777".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:49
S9	1	java and (database\$ ) and "6721777".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 14:49
S10	36	client adj1 (generat\$ or creat\$ or built) adj2 (proxy or agent) and (java or j2ee or enterprise)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:13
S68	144	java and (database same query) and (proxy adj2 object\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:08
S69	128	java and (database same query) and (proxy adj2 object\$) and (client\$ or host) and server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:09
S70	97	java and (database same query) and (proxy adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 17:12
S71	97	java and (database same query) and (proxy adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 10:16

## EAST Search History

S73	52	("713"/\$.ccls. or "726"/\$.ccls. or "380"/\$.ccls. or "705"/\$.ccls. or "709"/\$.ccls.) and java and (database same query) and (proxy adj2 object\$) and (client\$ or host) and server and (security or protection or intrusion) and application\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/06 12:51
-----	----	---	---	----	-----	------------------